

High Impact Weather



Jean-Raymond Bidlot

Marine Prediction Section

Predictability Division of the Research Department

European Centre for Medium-range Weather Forecasts


jean.bidlot@ecmwf.int



High Waves




What do you know about ocean waves?



nothing

expert



Ocean waves:

We are dealing with wind generated waves from gentle to rough ...



May 1, 2013

Porthleven Clock Tower, Cornwall, UK




February 5, 2014

Observe Individual Waves,


After a while, you can estimate a characteristic height the waves:
the Significant Wave Height, H_s ,

You might also notice that some waves are larger than the rest,
characterised by the Maximum Individual Wave Height, H_{max}




Surface elevation time series from platform Draupner in the North Sea

How do we go about making predictions on the sea state?




Wave Spectrum

- The irregular water surface can be decomposed into (*infinite*) number of simple sinusoidal components with different **frequencies** (f) and propagation **directions** (θ).



- The distribution of wave energy among those components is called:
“**wave spectrum**”,
 $F(f, \theta)$.




Modern ocean wave prediction systems are based on statistical description of oceans waves (i.e. ensemble average of individual waves).

The sea state is described by the two-dimensional wave spectrum $F(f, \theta)$.

For instance, the sea state off the coast of Holland might be the results of a local sea breeze. These waves are generally known as **windsea**

Waves might have also propagated from their generation area as **swell**



Windsea: broad distribution of the waves around a peak

swell: well defined peak in direction and frequency.


Ocean Wave Modelling

- The 2-D spectrum follows from the energy balance equation (in its simplest form: deep water case):

$$\frac{\partial F}{\partial t} - \underbrace{(\vec{V}_g \cdot \nabla F)}_{\text{advection}} = \underbrace{S_{in}}_{\text{generation}} + \underbrace{S_{nl}}_{\text{redistribution}} + \underbrace{S_{diss}}_{\text{dissipation}}$$


Where the group velocity V_g is derived from the dispersion relationship which relates frequency and wave number.

S_{in} : wind input source term (**generation**).




the wave grows by this mechanism, the mechanism becomes the wave can therefore grow faster, which in turn makes the mechanism effective, etc.

S_{nl} : non-linear 4-wave interaction (**redistribution**).



S_{diss} : dissipation term due to whitecapping (**dissipation**).



Ocean Wave Modelling

- Once you know the wave spectrum F , any other sea state parameters can be estimated. For example, the mean variance of the sea surface elevation η due to waves is given by:

$$\langle \eta^2 \rangle = \iint F(f, \theta) df d\theta$$


- The statistical measure for wave height, called the **significant wave height** (H_s):

$$H_s = 4\sqrt{\langle \eta^2 \rangle}$$

The term **significant wave height** is historical as this value appeared to be well correlated with visual estimates of wave height from experienced observers.


It can be shown to correspond to the average 1/3rd highest waves ($H_{1/3}$).

ECMWF Wave Model Configurations



Global from 81°S to 90°N

Coupled to the atmospheric model with feedback of the sea **surface roughness** change due to waves.




The interface between WAM and the IFS has been generalised to include air density and gustiness effects on wave growth.

Wave Model Products

The complete description of the sea state is given by the 2-D spectrum, however, it is a fairly large amount of data.

It is therefore reduced to integrated quantities:

1-D spectrum obtained by integrating the 2-D spectrum over all directions and/or over a frequency range.



Wave Model Products

When simple numbers are required, the following parameters are available:


The significant wave height (H_s).

The peak period (period of the peak of the 1-D spectrum).

Mean period(s) obtained from weighted integration of the 2-D spectrum.

Integrated mean direction.

many others.



Complete list at: <http://www.ecmwf.int/services/archive/d/parameters/order=/table=140/>

Ocean wave forecasts

At the end of December 2013 and beginning of January 2014, the UK and western Europe were battered by large waves:



Ocean wave forecasts

Then again in February and early March:



May 1, 2013


Porthleven Clock Tower, Cornwall



February 5, 2014


Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 12 hours



Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 18 hours




Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 24 hours

Saturday 04 January 2014 00 UTC ecmf t+24 VT: Sunday 05 January 2014 00 UTC surface 10 metre U wind component/10 metre V wind component
Saturday 04 January 2014 00 UTC ecmf Forecast t+24 VT: Sunday 05 January 2014 00 UTC meanSea Significant height of combined wind waves and swell
Significant wave height (m)

0.00	1.25	2.50	3.75	5.00	6.25	7.50	8.75	10.00	11.25	12.50	13.75	15.00	16.25	17.50	18.75	20.00
------	------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------


10 m/s



Nearing
20m
at its peak !


Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 30 hours




Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 36 hours




Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 48 hours



Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 54 hours



Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 60 hours

Saturday 04 January 2014 00 UTC ecmf t+60 VT: Monday 06 January 2014 12 UTC surface 10 metre U wind component/10 metre V wind component
Saturday 04 January 2014 00 UTC ecmf Forecast t+60 VT: Monday 06 January 2014 12 UTC meanSea Significant height of combined wind waves and swell
Significant wave height (m)

0.00	1.25	2.50	3.75	5.00	6.25	7.50	8.75	10.00	11.25	12.50	13.75	15.00	16.25	17.50	18.75	20.00
------	------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------


0 m/s



Porthcawl, South Wales, 6 Jan 2014




Nazare, Portugal, Jan 6, 2014



Spectral shape:



In excess of 20m



Analysis
at location of
highest wave height

In excess of
1000 m² s

NORMALISED 2-D SPECTRUM for 0001 wave od
00:00Z on 05.01.2014
at xxxxx (47.75 , -38.50)
Hs= 20.14 m, Tm= 16.21 s, Tp= 17.99 s
Peakedness Qp= 1.79, Directional Spread = 0.50
MWD = 67 degrees PWD = 80 degrees
Propagation direction is with respect to North
North is pointing upwards
Concentric circles are every 0.05 Hz



Long swell forecasts

Swell are long waves propagating away from storms.


It is possible to follow the evolution of the swell.

Define the Equivalent Wave Height:

EWL,
Equivalent Wave Height
for a given frequency bin:

$$EHW = 4\sqrt{A}$$


where A is the
area under curve for
a given frequency bin




Long swell forecasts

Wave height and long swell forecast from 4 January 2014, step 24


Significant wave height (m)




Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)



Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)



Significant wave height (m)



Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)




Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)




Long swell forecasts

Wave height and long swell forecast from 4 January 2014, step 48


Significant wave height (m)




Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)



Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)



Significant wave height (m)



Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)






Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)




Future developments: spectral partitioning

Operational:


NORMALISED 2-D SPECTRUM for fp2t wave rd
00:00UTC on 06.06.2012
at XXXXX (60.00°, -5.00°), 332.0 m
Hs= 1.79 m, Tm= 7.43 s, Tp= 9.23 s
Mean Wave Dir. = 233° Peak Wave Dir. = 200°
Hws= 0.98 m, Tws= 3.8 s, Mean Windsea Dir.(green)= 306°
Hsw= 1.50 m, Tsw= 9.0 s, Mean Swell Dir.(red)= 193°
Wind Speed = 8.37 m/s, Wind Dir.(blue)= 306°, $u^* = 0.338$ m/s
Directions in oceanographic convention (North upwards)
Concentric circles are every 0.05 Hz



New decomposition:



Ensemble forecasting:




**Click here if you know
what ensemble
forecasting means:**

So far, everything has been presented as output from the deterministic forecast system.

BUT, forecast should actually be more probabilistic. Nowadays, weather centres rely on ensemble techniques :


From an ensemble of wave forecasts it is possible to derive probabilities for certain wave conditions.



Basic EPS Wave Model Products

probability for set thresholds (4m)


Friday 31 January 2014 00UTC ©ECMWF Forecast probability t+048 VT: Sunday 2 February 2014 00UTC
Surface: Significant wave height of at least 4 m



Basic EPS Wave Model Products

probability for set thresholds (6m)


Friday 31 January 2014 00UTC ©ECMWF Forecast probability t+048 VT: Sunday 2 February 2014 00UTC
Surface: Significant wave height of at least 6 m



Basic EPS Wave Model Products



probability for set thresholds (8m)

Friday 31 January 2014 00UTC ©ECMWF Forecast probability $t+048$ VT: Sunday 2 February 2014 00UTC
Surface: Significant wave height of at least 8 m




A bit more compact: Wave EPSgram:

Like normal EPSgram but for
wind direction, wind speed,
significant wave height,
mean wave direction and mean period.






Isles of Scilly, west of Cornwall

A bit more compact: Wave EPSgram:



EPS Control(55 km) High Resolution Deterministic(14 km)




Each octant is coloured based on the distribution of the significant wave height associated with each mean direction. The coloured areas correspond to the fractional number of ensemble members with wave height in the range specified by the coloured ruler.

EFI plots

From the new model climate, it is possible to derive indices that indicate deviations in probabilistic terms from what is 'expected'.


Extreme Forecast Index (EFI): 1 means that all EPS are above climate.

Fri 11 May 2012 00UTC ©ECMWF t+72-96h VT: Mon 14 May 2012 00UTC - Tue 15 May 2012 00UTC
Extreme forecast index and Shift of Tails index (black contours 0,1,5,10,15) for max significant wave height



EFI for significant wave height

Thu 10 May 2012 00UTC ©ECMWF VT: Mon 14 May 2012 00UTC - Tue 15 May 2012 00UTC 72-96h
max significant wave height (in m) Model climate Q99 (one in 100 occasions realises more than value shown)




99 percentile of the distribution for significant wave height

EFI plots

From the new model climate, it is possible to derive indices that indicate deviations in probabilistic terms from what is 'expected'.

Extreme Forecast Index (EFI): -1 means that all EPS are below climate.




EFI for significant wave height

01 percentile of the distribution for significant wave height

We are not always dealing with nice 'predictable' waves:





Individual Waves,
Significant Wave Height, H_s ,
Maximum Individual Wave Height, H_{max} , and
Freak Wave



If $H_{max} > 2.2 H_s \rightarrow$ freak wave event

Wave Model Products: Extreme Waves

We have a parameter to estimate the height of the highest individual wave (H_{\max}) one can expect. Its value can be derived from the 2d wave spectrum:



March 3, 2010, 15UTC

Forecasts fields from Friday 2 March, 2010, 0 UTC


Note: Impact of resolution

ECMWF TL3999
Experimental
Non-hydrostatic:
5km

ECMWF TL1279
Current operational
High resolution:
16km

ECMWF TL639
Current operational
Ensemble resolution:
32km

ECMWF TL319
64 km



8 Evaluation of Medium-Range Forecasts for Hurricane Sandy


LINUS MAGNUSSON, JEAN-RAYMOND BIDLOT, SIMON T. K. LANG, ALAN THORPE, AND NILS WEDI

European Centre for Medium-Range Weather Forecasts, Reading, United Kingdom

MUNEHICO YAMAGUCHI

European Centre for Medium-Range Weather Forecasts, Reading, United Kingdom, and Japan Meteorological Agency, Tokyo, Japan

Note: Impact of resolution



Questions ?



Ocean Wave Modelling: references

- The ocean wave modelling at ECMWF is based on the wave mode [WAM cycle 4](#) (Komen et al. 1994), albeit with frequent improvements (Janssen 2007: ECMWF Tech. Memo 529, Bidlot 2012, proceeding of the ECMWF Workshop on Ocean Waves, 25-27 June 2012).
- Products from different configurations of WAM are currently available at ECMWF.

http://www.ecmwf.int/publications/manuals/d/gribapi/param/filter=grib1/order=paramId/order_type=asc/p=1/table=140/

- Wave model page on the Centre's web site:
<http://www.ecmwf.int/products/forecasts/wavecharts/index.html#forecasts>
- General documentation:
<http://www.ecmwf.int/research/ifsdocs/CY40r1/index.html>